INDEX TO AUTHORS.

A

Adair, G. S. See Bock, Field, and Adair, 353

Alcott, M. D. See Rowe, Alcott, and Mortimer, p. xli

Allan, F. N. The glucose equivalent of insulin on depancreatized dogs, p. xxviii

Allen, Edgar. See Doisy, Allen, Ralls, and Johnston, p. xliii

Allen, R. S. See Piper, Allen, and Murlin, p. xxxii

Anderegg, L. T. Diet in relation to reproduction and rearing of young, 587

Anderson, William E. See Smith and Anderson, p. viii

Andrews, James C. Experimental studies on palladium electrodes, 479

Austin, J. Harold, and **Gram, H. C.** The effect of ether added *in vitro* on the carbon dioxide and chloride distribution between cells and serum, 535

Austin, W. C. Phospholipins in yeast, p. lii

B

Barr, David P. See Himwich, Loebel, and Barr, 265

Barry, William M., and **Levine, Victor E.** The oxidation and reduction of bile pigments, p. lii

Bauer, Virginia, and **Blunt, Katharine.** Effect of a small breakfast on the energy metabolism of children, 77

Baumann, Emil J. On the estimation of organic phosphorus, 667

—, and **Holly, O. M.** Variations in the blood cholesterol and phosphatides of rabbits due to pregnancy, p. xxv

Behrendt, F. See Givens and Behrendt, p. x

Bell, Marion. See Blatherwick, Bell, and Hill, p. xxxv

—. See Blatherwick, Long, Bell, Maxwell, and Hill, p. xxxvi

Benedict, Ethel M. See Harrop and Benedict, 683

Berglund, Hilding. See Folin, Berglund, and Derrick, p. lvii

Best, Charles H., Smith, R. G., and **Scott, D. A.** Insulin in tissues other than pancreas, p. xxx

—. See Little, Levine, and Best, p. xxxvii

Black, Archie. See Steenbock, Nelson, and Black, p. ix

XUM

Blatherwick, N. R., Bell, Marion, and **Hill, Elsie.** Some effects of insulin on the carbohydrate and phosphorus metabolism of normal individuals, p. xxxv

—, **Long, M. Louisa, Bell, Marion, Maxwell, L. C.,** and **Hill, Elsie.** Some factors influencing the response of rabbits to insulin, p. xxxvi

Bloor, W. R. The fatty acids of blood plasma. II. The distribution of the unsaturated acids, 543

—. The forms of combination of the unsaturated fatty acid in blood plasma, p. xxiv

Blunt, Katharine. See BAUER and BLUNT, 77

Bock, A. V., Field, H., Jr., and **Adair, G. S.** The oxygen and carbon dioxide dissociation curves of human blood, 353

—. See HENDERSON, BOCK, FIELD, and STODDARD, 379

Bock, Joseph C. On the use of formaldehyde for the preservation of blood specimens, 73

Bogert, L. Jean. See PLASS and BOGERT, p. xxiv

Booher, Lela E. See MYERS and BOOHER, p. xxiii, 699

Boothby, Walter M., and **Sandiford, Irene.** A quantitative estimate of the catalytic power of adrenalin and thyroxin as calorigenic agents and the relative rate of their destruction, p. xl

Bradley, H. C. See CHEN and BRADLEY, 151, p. lvii

—. See HERTZMAN and BRADLEY, p. xix

Briggs, A. P. Some applications of the colorimetric phosphate method, 255

C

Caldwell, Mary L. A study of the influence of the new sulfur-containing amino acid (Mueller) on the activity of pancreatic amylase, 661

Campbell, H. L. See SHERMAN and CAMPBELL, p. xlv

Cavins, A. W. The effect of fasting (and refeeding) on the calcium and inorganic phosphorus in blood serums of normal and rachitic rats, 237

Chen, K. K., and **Bradley, H. C.** Chemical changes in the experimental atrophy of muscle, p. lvii

—, and —. Studies of autolysis. X. The autolysis of muscle, 151

Clark, W. Mansfield, Cohen, Barnett, Gibbs, H. D., and **Sullivan, M. X.** Studies on oxidation-reduction equilibria in systems of organic compounds, p. xxi

Clausen, S. W. Studies in parenchymatous nephritis, p. xlv

Clowes, G. H. A. See SMITH and CLOWES, p. lvii

—. See WALDEN and CLOWES, p. lvii

Cohen, Barnett. See CLARK, COHEN, GIBBS, and SULLIVAN, p. xxi

Cohn, Edwin Joseph. A physicochemical method of characterizing proteins. V, p. iv

Cohn, Edwin Joseph. A physicochemical method of characterizing proteins. VI, p. vii

Collins, Arnold M. See JACOBS and COLLINS, 713

Congdon, C. C. See MATTILL and CONGDON, p. xii

Cowgill, George R., Deuel, H. J., Jr., and **Smith, Arthur H.** Quantitative aspects of the relation between vitamin B and appetite, p. xi

Cox, Gerald J. See ROSE and Cox, p. xiv

D

Dakin, H. D. The resolution of inactive malic acid into optically active forms, 7

Denis, W. See HUME and DENIS, 457

Derrick, C. See FOLIN, BERGLUND, and DERRICK, p. lvii

Deuel, H. J., Jr. See COWGILL, DEUEL, and SMITH, p. xi

Doisy, Edward A., Allen, Edgar, Ralls, J. O., and **Johnston, C. S.** Preparation and properties of an ovarian hormone, p. xliii

—, and **Weber, Clarence J.** Further purification of insulin and analysis of the product, p. xxxiv

—. See SOMOGYI, DOISY, and SHAFFER, p. xxxiii

Du Bois, Eugene F. Clinical calorimetry. Thirty-fifth paper. A graphic representation of the respiratory quotient and the percentage of calories from protein, fat, and carbohydrate, 43

Dunn, Edith R. See VOEGTLIN, DUNN, and THOMPSON, p. xxxvii

E

Edwards, A. C. See MORGULIS and EDWARDS, p. xxvii

F

Falk, K. George, Noyes, Helen Miller, and **Sugiura, Kanematsu.** Studies on enzyme action. XXV. Comparative lipase and protease actions of the Flexner-Jobling rat carcinoma and of different rat tissues, 183

—, —, and —. XXVI. Comparative lipase and protease actions of different beef tissues, 213

—, —, and —. XXVII. The comparative enzyme actions of tissue mixtures and of tumor-tissue mixtures in relation to the comparative enzyme actions of tissue and of tumor extracts alone, 225

Felsher, Augusta R. See WANG and FELSHER, p. liii, p. liv

Fenger, Frederick, and **Wilson, Ray S.** The amount of available insulin in the pancreas of domestic animals, 83

Ferry, R. M. Studies in the chemistry of hemoglobin. II. A method for the study of the equilibrium between oxygen and hemoglobin, 295

Field, H., Jr. See BOCK, FIELD, and ADAIR, 353
—. See HENDERSON, BOCK, FIELD, and STODDARD, 379
Folin, Otto, Berglund, Hilding, and **Derrick, C.** Distribution, destruction, and excretion of uric acid, p. lvii
Friedmann, T. E. See SHAFFER and FRIEDMANN, p. lvii

G

Gibbs, H. D. See CLARK, COHEN, GIBBS, and SULLIVAN, p. xxi
Gittleman, I. F. See KRAMER and GITTLEMAN, p. xlvi
Givens, M. H., and **Behrendt, F.** The use of the rat for the estimation of vitamin B, p. x
Graham, V. A. See SUMNER, GRAHAM, and NOBACK, p. xx
Gram, H. C. Cell volume and electrical conductivity of blood, 33
—. See AUSTIN and GRAM, 535
Greene, Charles W. Analysis of the gases of the air-bladder of the California singing fish, *Porichthys notatus*, 615
Greenwald, Isidor. Alkalosis, sodium poisoning, and tetany, 1
—. Are guanidines present in the urines of parathyroidectomized dogs? 329
—. The chemistry of Jaffé's reaction for creatinine, p. xlvii
Greenwald, Isidor, and **Gross, Joseph.** The chemistry of Jaffé's reaction for creatinine. A red tautomer of creatinine picrate, 601
—, and —. A note on rubidium and cesium creatinine picrates, 613
Griffith, Wendall H. The absorption of sodium benzoate and of sodium hippurate from the small intestine of the rabbit, p. li
Gross, Joseph. See GREENWALD and GROSS, 601, 613

H

Haggard, Howard W. The absorption, distribution, and elimination of ethyl ether. I. The amount of ether absorbed in relation to the concentration inhaled and its fate in the body, 737
—. II. Analysis of the mechanism of absorption and elimination of such a gas or vapor as ethyl ether, 753
—. III. The relation of the concentration of ether, or any similar volatile substance, in the central nervous system to the concentration in the arterial blood, and the buffer action of the body, 771
—. IV. The anesthetic tension of ether and the physiological response to various concentrations, 783
—. V. The importance of the volume of breathing during the induction and termination of ether anesthesia, 795

Hammett, Frederick S. Creatinine and creatine in muscle extracts. V. A comparison of the rate of creatinine formation from creatine in extracts of brain and muscle tissue, 347

—. The effect of thyroid and parathyroid deficiency on the gross chemical composition of the long bones, p. xli

Hanke, Milton T., and **Koessler, Karl K.** Studies on proteinogenous amines. XVII. On the faculty of normal intestinal bacteria to form toxic amines, 835

—, and —. XVIII. On the production of histamine, tyramine, and phenol in common laboratory media by certain intestinal microorganisms, 855

—, and —. XIX. On the factors involved in the production of phenol by the colon group, 867

—, and —. XX. On the presence of histamine in the mammalian organism, 879

—. See KOESSLER and HANKE, p. iii, 803, 889

Harrop, George A., Jr., and **Benedict, Ethel M.** The participation of inorganic substances in carbohydrate metabolism, 683

Hastings, A. B., Van Slyke, D. D., Neill, J. M., and **Heidelberger, M.** The acid properties of hemoglobin, p. xx

Hawley, Estelle E., and **Murlin, John R.** The respiratory quotients of normal rabbits after the administration of insulin, p. xxxii

Heidelberger, M. See HASTINGS, VAN SLYKE, NEILL, and HEIDELBERGER, p. xx

Henderson, L. J., Bock, A. V., Field, H., Jr., and **Stoddard, J. L.** Blood as a physicochemical system. II, 379

Hendrix, B. M., and **McAmis, Ava J.** Alkalosis in dogs following injection of hydrazine sulfate, p. xxii

Hepburn, J. S., and **Stroh, R. H.** Alkatan, p. lvii

Hertzman, A. B., and **Bradley, H. C.** Digestibility of proteins and the isoelectric point, p. xix

Hill, Elsie. See BLATHERWICK, BELL, and HILL, p. xxxv

—. See BLATHERWICK, LONG, BELL, MAXWELL, and HILL, p. xxxvi

Hill, Robert M., and **Lewis, Howard B.** The metabolism of sulfur. VII. The oxidation of some sulfur compounds related to cystine in the animal organism, 557

—, and —. VIII. The behavior of thiophenol and thiocresol in the animal organism, 569

Himwich, Harold E., Loebel, Robert O., and **Barr, David P.** Studies of the effect of exercise in diabetes. I. Changes in acid-base equilibrium and their relation to the accumulation of lactic acid and acetone, 265

Holly, O. M. See BAUMANN and HOLLY, p. xxv

Hume, H. V., and **Denis, W.** Polarimetric observations on solutions of glucose after contact with the intestinal mucosa, 457
Hutton, Mary K. See PARSONS and HUTTON, 97

I

Illievitz, A. B. See SIMPSON, 107

J

Jackson, Henry, Jr. Studies in nuclein metabolism. II. The isolation of a nucleotide from human blood, 529
Jacobs, Walter A., and **Collins, Arnold M.** Strophanthin. IV. Anhydrostrophanthidin and dianhydrostrophanthidin, 713
Johnston, C. S. See DOISY, ALLEN, RALLS, and JOHNSTON, p. xliii
Jones, D. Breese, and **Murphy, Joseph C.** Cystine deficiency and vitamin content of the lentil, *Lens esculenta* Moench, 243

K

Kasahara, Michio, and **Uetani, Eikichi.** The effect of insulin upon the reducing substance in the cerebrospinal fluid of normal rabbits, 433
Kendall, E. C. The chemical reactions involved in the physiological functioning of thyroxin, p. xxxix
Kerr, Ralph W. E. See NELSON and KERR, 495
Kinney, Ethel May. See SHIPLEY, KINNEY, and McCOLLUM, 165, 177
Knight, Harry H. See PALMER and KNIGHT, 443, 451
Koch, Fred C. See PARSONS and KOCH, p. xxxviii
Koessler, Karl K., and **Hanke, Milton T.** The production and presence of poisonous amines in the mammalian organism, p. iii
—, and —. Studies on proteinogenous amines. XVI. The excretion of imidazoles in the urine under normal and pathological conditions with special consideration of nephritis, 803
—, and —. XXI. The intestinal absorption and detoxication of histamine in the mammalian organism, 889
—. See HANKE and KOESSLER, 835, 855, 867, 879
Kramer, Benjamin, and **Gittleman, I. F.** A volumetric method for the quantitative determination of sodium in small amounts of serum, p. xlvi

L

Lepkovsky, Samuel, and **Nelson, Mariana T.** Observations on the persistence of vitamin C in the livers of rats on a scorbutic ration, 91
Levene, P. A. Adenosin hexoside from yeast, 465
—. The optical behavior of 2,5-anhydroglucose, of 2, 5-anhydrogluconic acid, and of 2, 5-anhydromannonic acid, 135

Levene, P. A. The pentacetate of α-mannose, 141
—. Preparation of α-mannose. Second paper, 129
—. The specific rotations of hexonic and 2-aminohexonic acids and of their sodium salts, 123
—, and **Meyer, G. M.** Isomeric methyl diacetone mannoses, 145
—, and **Mikeska, L. A.** On Walden inversion. Paper I, 473
—, and **Taylor, F. A.** The synthesis of normal fatty acids from stearic acid to hexacosanic acid, 905
Levine, Victor E., and **Sohm, Herbert A.** The effect of manganese on growth, p. xlviii
—. See BARRY and LEVINE, p. lii
—. See LITTLE, LEVINE, and BEST, p. xxxvii
Lewis, Howard B., McGinty, Daniel A., and **Marvel, Carl S.** The availability of some possible precursors of lysine for lysine synthesis, p. xiii
—, **Updegraff, Helen,** and **McGinty, Daniel A.** The metabolism of sulfur. VI. The oxidation of cystine in the animal organism. Second paper, 59
—. SEE HILL and LEWIS, 557, 569
Lewis, Julian H. See WELLS and LEWIS, p. iii
Little, John T., Levine, Victor E., and **Best, Charles H.** The occurrence of a hypoglycemia-producing substance in bacteria, p. xxxvii
Loebel, Robert O. See HIMWICH, LOEBEL, and BARR, 265
Long, M. Louisa. See BLATHERWICK, LONG, BELL, MAXWELL, and HILL, p. xxxvi
Lusk, Graham. Animal calorimetry. Twenty-fourth paper. Analysis of the oxidation of mixtures of carbohydrate and fat. A correction, 41

M

McAmis, Ava J. See HENDRIX and MCAMIS, p. xxii
McClendon, J. F. The application of G. Breit's formula for conductance through heterogeneous media to blood, p. lvi
—. The determination of hydrogen ions in the gastric contents, 437
McCollum, E. V. See SHIPLEY, KINNEY, and MCCOLLUM, 165, 177
McCormick, N. A., and **Noble, E. C.** Insulin from fish, p. xxix
McGinty, Daniel A. See LEWIS, MCGINTY, and MARVEL, p. xiii
—. See LEWIS, UPDEGRAFF, and MCGINTY, 59
McLean, L. F. See SIMPSON, 107
MacLeod, F. L. See SHERMAN and MACLEOD, p. xlv
Macallum, A. B. The localization of the secretion of acid in the kidney, p. lvii

Macallum, A. B. A new theory of urinary secretion, p. lvii

—. On the absorption of organic colloids by the intestinal mucosa, p. xvii

Marvel, Carl S. See Lewis, McGinty, and Marvel, p. xiii

Mattill, H. A., and **Congdon, C. C.** The influence of yeast product additions to milk rations on the infertility of rats, p. xii

Maxwell, L. C. See Blatherwick, Long, Bell, Maxwell, and Hill, p. xxxvi

Mendel, Lafayette B. See Osborne and Mendel, 13, p. xliv, 339

Meyer, G. M. See Levene and Meyer, 145

Michaelis, A. M. Clinical calorimetry. Thirty-sixth paper. A graphic method of determining certain numerical factors in metabolism, 51

Mikeska, L. A. See Levene and Mikeska, 473

Moeller, Otto. See Jones and Murphy, 243

Morgulis, Sergius, and **Edwards, A. C.** Chemical changes produced in the blood by fasting and subsequent refeeding, p. xxvii

Morris, J. Lucien, and **Way, Charles T.** Further observations on chemical constituents of saliva, p. xxvi

Mortimer, E. See Rowe, Alcott, and Mortimer, p. xli

Muldoon, Joseph A., Shiple, George J., and **Sherwin, Carl P.** Synthesis of amino acids in the animal organism. III. Concerning the synthesis of cystine in the body of the dog, 675

Murlin, John R. See Hawley and Murlin, p. xxxii

—. See Piper, Allen, and Murlin, p. xxxii

Murphy, Joseph C. See Jones and Murphy, 243

Myers, Victor C., and **Booher, Lela E.** Some variations in the acid-base balance of the blood in disease, p. xxiii, 699

N

Neill, J. M. See Hastings, Van Slyke, Neill, and Heidelberger, p. xx

Nelson, J. M., and **Kerr, Ralph W. E.** Uniformity in invertase action. III. The stability of the enzyme, 495

Nelson, Mariana T. See Lepkovsky and Nelson, 91

—. See Steenbock, Nelson, and Black, p. ix

Noback, C. Y. See Sumner, Graham, and Noback, p. xx

Noble, E. C. See McCormick and Noble, p. xxix

Noyes, Helen Miller. See Falk, Noyes, and Sugiura, 183, 213, 225

O

Olmsted, J. M. D., and **Taylor, A. C.** The effect of insulin on the oxygen saturation of hemoglobin, p. xxx

Osborne, Thomas B., and **Mendel, Lafayette B.** Nutrition and growth on diets highly deficient or entirely lacking in preformed carbohydrates, 13, p. xliv

—, and —. The nutritive value of lactalbumin, 339

P

Palmer, Leroy S., and **Knight, Harry H.** Anthocyanin and flavone-like pigments as cause of red colorations in the hemipterous families Aphididæ, Coreidæ, Lygæidæ, Miridæ, and Reduviidæ, 451

—, and —. Carotin—The principle cause of the red and yellow colors in *Perillus bioculatus* (Fab.), and its biological origin from the lymph of *Leptinotarsa Decemlineata* (Say), 443

Parsons, Eloise, and **Koch, Fred C.** Histamine as a constituent of secretin preparations, p. xxxviii

Parsons, Helen T., and **Hutton, Mary K.** Some further observations concerning the antiscorbutic requirement of the rat, 97

—, and **Reynolds, May S.** The depletion of vitamin C in the liver of the guinea pig on a scorbutic ration, 731

Piper, H. A., Allen, R. S., and **Murlin, John R.** On the purification of insulin, p. xxxii

Plass, E. D., and **Bogert, L. Jean.** Plasma protein as an index of hydroplasmia during pregnancy, p. xxiv

R

Ralls, J. O. See Doisy, Allen, Ralls, and Johnston, p. xliii

Reynolds, May S. See Parsons and Reynolds, 731

Rockwood, E. W. The mechanism of the action of amino acid promoters upon enzymes, p. xix

Ronzoni, Ethel. Physiological response to exercise, p. lvii

Rose, A. R., and **Sherwin, C. P.** Surface tension and the detoxication of foreign organic substances, p. l

Rose, William C., and **Cox, Gerald J.** The relation of arginine and histidine to growth, p. xiv

Rowe, A. W., Alcott, M. D., and **Mortimer, E.** The metabolism in pregnancy. II. Changes in the basal metabolic rate, p. xli

S

Sandiford, Irene. See Boothby and Sandiford, p. xl

Scott, D. A. See Best, Smith, and Scott, p. xxx

Sevringhaus, Elmer L. The utilization of margaric acid esters, xlix

Shackell, L. F. Further work on dye-protein aggregates, p. lv

Shaffer, P. A., and **Friedmann, T. E.** Antiketogenesis: the *in vitro* ketolytic reaction, p. lvii

—. See Somogyi, Doisy, and Shaffer, p. xxxiii

XUM

Sherman, H. C., and **Campbell, H. L.** Growth and reproduction upon simplified food supply. IV, p. xlv
—, and **MacLeod, F. L.** Fat-soluble vitamin in adult nutrition, xlv
Sherwin, Carl P. See Muldoon, Shiple, and Sherwin, 675
—. See Rose and Sherwin, p. l
Shiple, George J. See Muldoon, Shiple, and Sherwin, 675
Shipley, P. G., Kinney, Ethel May, and **McCollum, E. V.** Studies on experimental rickets. XXIV. The effect of certain extracts of plant tissues on florid rickets, 165
—, —, and —. XXV. A study of the antirachitic effect of certain oils, 177
Simpson, George Eric. Diurnal variations in the rate of urine excretion for two hour intervals: some associated factors, 107
Smith, Arthur H., and **Anderson, William E.** Postscorbutic nutrition in the guinea pig, p. viii
—. See Cowgill, Deuel, and Smith, p. xi
Smith, Homer W., and **Clowes, G. H. A.** On further observations regarding the influence of pH range on fertilization and cell division in marine eggs, p. lvii
Smith, R. G. See Best, Smith, and Scott, p. xxx
Smyth, Francis S., and **Whipple, G. H.** Bile salt metabolism. I. Influence of chloroform and phosphorus on bile fistula dogs, 623
—, and —. II. Proteose and x-ray intoxication. Thyroid and thyroxin, 637
—, and —. III. Gelatin, fish, yeast, cod liver, and meat extracts, 647
—, and —. IV. Negative influence of drugs, atropine, pilocarpine, phlorhizin, quinine, etc., 655
Sohm, Herbert A. See Levine and Sohm, p. xlviii
Somogyi, M., Doisy, E. A., and **Shaffer, P. A.** On the preparation and properties of insulin, p. xxxiii
Steenbock, H., Nelson, Mariana T., and **Black, Archie.** Determinations of vitamin A, p. ix
Stoddard, J. L. See Henderson, Bock, Field, and Stoddard, 379
Stroh, R. H. See Hepburn and Stroh, p. lvii
Sugiura, Kanematsu. See Falk, Noyes, and Sugiura, 183, 213, 225
Sullivan, M. X. A new distinctive test for cysteine, p. l
—. See Clark, Cohen, Gibbs, and Sullivan, p. xxi
Sumner, J. B., Graham, V. A., and **Noback, C. Y.** Urease and the jack bean proteins, p. xx
Sure, Barnett. Amino acids in nutrition. VIII. Proline is indispensable for growth, p. xv, 577
—. IX. The rôle of alanine and indole in the synthesis of tryptophane by the animal organism, p. xvi

T

Taylor, A. C. See OLMSTED and TAYLOR, p. xxx
Taylor, F. A. See LEVENE and TAYLOR, 905
Thompson, J. W. See VOEGTLIN, DUNN, and THOMPSON, p. xxxvii

U

Uetani, Eikichi. See KASAHARA and UETANI, 433
Updegraff, Helen. See LEWIS, UPDEGRAFF, and MCGINTY, 59

V

Van Slyke, D. D. See HASTINGS, VAN SLYKE, NEILL, and HEIDELBERGER, p. xx
Voegtlin, Carl, Dunn, Edith R., and **Thompson, J. W.** Observations on intermediate carbohydrate metabolism by means of insulin, p. xxxvii

W

Walden, George B., and **Clowes, G. H. A.** On certain methods employed in the standardization of insulin, p. lvii
Wang, Chi Che, and **Felsher, Augusta R.** The effect of the ingestion of granular commercial glucose on the reducing substance in blood and urine, p. liii
—, and —. Some observations on sugar tolerance, using granular commercial glucose, chemically pure glucose, and chemically pure glucose plus extract of commercial glucose, p. liv
Way, Charles T. See MORRIS and WAY, p. xxvi
Weber, Clarence J. See DOISY and WEBER, p. xxxiv
Webster, B. P. See SIMPSON, 107
Wells, H. Gideon, and **Lewis, Julian H.** The solubility of coagulated proteins as indicated by immunological methods, p. iii
Whipple, G. H. See SMYTH and WHIPPLE, 623, 637, 647, 655
Wilson, Ray S. See FENGER and WILSON, 83

Y

Young, E. Gordon. The decomposition of glucose by bacteria, p. xliii

XUM

INDEX TO SUBJECTS.

A

Acetone:
Accumulation, relation to changes in acid-base equilibrium (HIMWICH, LOEBEL, and BARR) 265

Acid:
Unsaturated (BLOOR) 543

Acid-base equilibrium:
Changes, relation to accumulation of lactic acid and acetone (HIMWICH, LOEBEL, and BARR) 265

Adenosin:
Hexoside, from yeast (LEVENE) 465

Air-bladder:
California singing fish, gasses (GREENE) 615

Alkalosis:
(GREENWALD) 1

Allonic acid:
Rotation (LEVENE) 126

Altronic acid:
Rotation (LEVENE) 126

Amine:
Proteinogenous (KOESSLER and HANKE) 803, 889
(HANKE and KOESSLER) 835, 855, 867, 879

Amine—*continued:*
Toxic, faculty of normal intestinal bacteria to form (HANKE and KOESSLER) 835

Amino acid:
Nutrition (SURE) 577
Organism, animal (MULDOON, SHIPLE, and SHERWIN) 675
Sulfur-containing, influence on activity of pancreatic amylase (CALDWELL) 661

2-Aminohexonic acid:
Rotation, specific (LEVENE) 123

Amylase:
Activity, pancreatic, influence of sulfur-containing amino acid on (CALDWELL) 661

Anesthesia:
Ether, importance of volume of breathing during induction and termination (HAGGARD) 795

2,5-Anhydrogluconic acid:
Optical behavior (LEVENE) 135

2,5-Anhydroglucose:
Optical behavior (LEVENE) 135

2,5-Anhydromannonic acid:
Optical behavior (LEVENE) 135

Anhydrostrophanthidin:
(JACOBS and COLLINS) 713
Anthocyanin:
Cause of red colorations in hemipterous families (PALMER and KNIGHT) 451
Atropine:
Bile salt metabolism, negative influence in (SMYTH and WHIPPLE) 655
Autolysis:
Muscle (CHEN and BRADLEY) 151

B

Bacteria:
Intestinal, normal, faculty to form toxic amines (HANKE and KOESSLER) 835
Bile:
Fistula dogs, influence of chloroform and phosphorus on (SMYTH and WHIPPLE) 623
Salt metabolism (SMYTH and WHIPPLE) 623, 637, 647, 655
Blood:
Arterial, ether concentration in, relation of concentration of ether in central nervous system to (HAGGARD) 771
Conductivity, electrical (GRAM) 33
Formaldehyde, use for preservation (BOCK) 73
Human, isolation of a nucleotide from (JACKSON) 529
—, oxygen and carbon dioxide dissociation curves (BOCK, FIELD, and ADAIR) 353
Physicochemical system (HENDERSON, BOCK, FIELD, and STODDARD) 379
Plasma, fatty acids (BLOOR) 543
Serums, calcium and inorganic phosphorus in, of normal and rachitic rats, effect of fasting on (CAVINS) 237
Brain:
Tissue, and muscle tissue, extracts, comparison of rate of creatinine formation from creatine in (HAMMETT) 347
Buffer:
Action of body, relation of concentration of ether in central nervous system (HAGGARD) 771

C

Calcium:
Blood serums of normal and rachitic rats, effect of fasting on (CAVINS) 237
Calorimetry:
Animal (LUSK) 41
Clinical (DU BOIS) 43
(MICHAELIS) 51
Carbohydrate:
Calories from, percentage, graphic representation (DU BOIS) 43
Metabolism, participation of inorganic substances in (HARROP and BENEDICT) 683

Carbohydrate—*continued:*
Mixtures of carbohydrate and fat, oxidation (LUSK) 41
Nutrition and growth on diets highly deficient or entirely lacking in (OSBORNE and MENDEL) 13
Carbon dioxide:
Dissociation curve of human blood (BOCK, FIELD, and ADAIR) 353
Distribution between cells and serum, effect of ether on (AUSTIN and GRAM) 535
Carcinoma:
Rat, Flexner-Jobling, lipase and protease actions (FALK, NOYES, and SUGIURA) 183
Carotin:
Biological origin from lymph of *Leptinotarsa decemlineata* (Say) (PALMER and KNIGHT) 443
Cause, principal, of red and yellow colors in *Perillus bioculatus* (Fab.) (PALMER and KNIGHT) 443
Cell:
Serum and, effect of ether on carbon dioxide and chloride distribution between (AUSTIN and GRAM) 535
Volume (GRAM) 33
Cerebrospinal fluid:
Substance, reducing, in, of normal rabbits, effect of insulin on (KASAHARA and UETANI) 433
Cesium:
Creatinine picrates (GREENWALD and GROSS) 613
Chitaric acid:
(LEVENE) 139
Chitonic acid:
(LEVENE) 138
Chloride:
Distribution between cells and serum, effect of ether on (AUSTIN and GRAM) 535
Chloroform:
Bile fistula dogs, influence on (SMYTH and WHIPPLE) 623
Colon:
Group, production of phenol by (HANKE and KOESSLER) 867
Conductivity:
Blood, electrical conductivity (GRAM) 33
Creatine:
Creatinine formation from, in extracts of brain and muscle tissue, comparison of rate (HAMMETT) 347
Muscle extracts (HAMMETT) 347
Creatinine:
Chemistry of Jaffé's reaction for (GREENWALD and GROSS) 601
Excretion (SIMPSON) 114
Formation from creatine in extracts of brain and muscle tissue, comparison of rate (HAMMETT) 347
Muscle extracts (HAMMETT) 347
Picrates, rubidium and ce-

Creatinine—*continued:*
sium (GREENWALD and GROSS) 613
Cystine:
Body of dog (MULDOON, SHIPLE, and SHERWIN) 675
Deficiency of the lentil (JONES and MURPHY) 243
Organism, animal, oxidation of sulfur compounds related to (HILL and LEWIS) 557
Oxidation in animal organism (LEWIS, UPDEGRAFF, and MCGINTY) 59

D

Diabetes:
Exercise in, effect (HIMWICH, LOEBEL, and BARR) 265
Diacetone:
Mannoses, isomeric methyl (LEVENE and MEYER) 145
Dianhydrostrophanthidin:
(JACOBS and COLLINS) 713
Diet:
Carbohydrates, preformed, nutrition and growth on diets highly deficient or entirely lacking in (OSBORNE and MENDEL) 13
Reproduction and rearing of young, relation (ANDEREGG) 587

E

Electrodes:
Palladium (ANDREWS) 479
Energy:
Metabolism of children, effect of a small breakfast on (BAUER and BLUNT) 77
Enzyme:
Action (FALK, NOYES, and SUGIURA) 183, 213, 225
Actions of tissue mixtures and of tissue-tumor mixtures in relation to enzyme actions of tissue and tumor extracts alone (FALK, NOYES, and SUGIURA) 225
— — — and tumor extracts alone, relation to enzyme actions of tissue mixtures and of tumor-tissue mixtures (FALK, NOYES, and SUGIURA) 225
Stability (NELSON and KERR) 495
Ether:
Amount absorbed in relation to concentration inhaled (HAGGARD) 737
Anesthesia, importance of volume of breathing during induction and termination (HAGGARD) 795
Anesthetic tension (HAGGARD) 783
Carbon dioxide and chloride distribution between cells and serum, effect on (AUSTIN and GRAM) 535
Concentration in arterial blood, relation to concentration of ether in

Ether—*continued:*
central nervous system (HAGGARD) 771
—, — central nervous system, relation to concentration of ether in arterial blood (HAGGARD) 771
Concentrations, various, physiological response to (HAGGARD) 783
Ethyl ether:
(HAGGARD) 737, 753, 771, 783, 795
Mechanism of absorption and elimination (HAGGARD) 753

F

Fasting:
Calcium and inorganic phosphorus in blood serums of normal and rachitic rats, effect on (CAVINS) 237
Fat:
Calories from, percentage, graphic representation (DU BOIS) 43
Mixtures of carbohydrate and fat, oxidation (LUSK) 41
Fatty acids:
Blood plasma (BLOOR) 543
Normal, synthesis from stearic to hexacosanic (LEVENE and TAYLOR) 905
Flavone:
Pigments, flavone-like, cause of red colorations in hemipterous families (PALMER and KNIGHT) 451
Formaldehyde:
Blood specimens, use for preservation (BOCK) 73

G

Galactonic acid:
Rotation (LEVENE) 125
Gases:
Air-bladder of California singing fish (GREENE) 615
Gelatin:
Bile salt metabolism (SMYTH and WHIPPLE) 647
Gluconic acid:
Rotation (LEVENE) 125
Glucose:
Solutions, polarimetric observations on, after contact with intestinal mucosa (HUME and DENIS) 457
Glycogen:
Formation on carbohydrate-free diets (OSBORNE and MENDEL) 29
Growth:
Diets highly deficient or entirely lacking in preformed carbohydrates (OSBORNE and MENDEL) 13
Proline indispensable for (SURE) 577
Guanidine:
Presence in urines of parathyroidectomized dogs (GREENWALD) 329
Gulonic acid:
Rotation (LEVENE) 125

H

Hemoglobin:
Chemistry (FERRY) 295
Oxygen and, equilibrium between (FERRY) 295

Hexacosanic acid:
Fatty acids, normal, synthesis from stearic acid to (LEVENE and TAYLOR) 905

Hexonic acid:
Rotation, specific (LEVENE) 123

Hexoside:
Adenosin, from yeast (LEVENE) 465

Histamine:
Organism, mammalian, intestinal absorption and detoxication in (KOESSLER and HANKE) 889
—, —, presence in (HANKE and KOESSLER) 879
Production in common laboratory media by intestinal microorganisms (HANKE and KOESSLER) 885

Hydrogen ions:
Gastric contents (MCCLENDON) 437

I

Idonic acid:
Rotation (LEVENE) 125

Imidazole:
Excretion in urine under normal and pathological conditions with special consideration of nephritis (KOESSLER and HANKE) 803

Insulin:
Amount in pancreas of domestic animals (FENGER and WILSON) 83
Substances, reducing, in cerebrospinal fluid of normal rabbits, effect on (KASAHARA and UETANI) 433

Invertase:
Action, uniformity in (NELSON and KERR) 495

K

Ketogenic-antigenic balance:
(OSBORNE and MENDEL) 29

L

Lactalbumin:
Nutritive value (OSBORNE and MENDEL) 339

Lactic acid:
Accumulation, relation to changes in acid-base equilibrium (HIMWICH, LOEBEL, and BARR) 265

Lens esculenta Moench:
Cystine deficiency and vitamin content (JONES and MURPHY) 243

Lentil:
See Lens esculenta Moench.

Lipase:
Actions of beef tissues (FALK, NOYES, and SUGIURA) 213
— — Flexner-Jobling rat carcinoma and of rat tissues (FALK, NOYES, and SUGIURA) 183

Liver:
Guinea pig, depletion of vitamin C on a scorbutic ration (PARSONS and REYNOLDS) 731
Rat, persistence of vitamin C in, on a scorbutic ration (LEPKOVSKY and NELSON) 91
Lymph:
Leptinotarsa decemlineata (Say), biological origin of carotin from (PALMER and KNIGHT) 443

M

Malic acid:
Inactive, resolution into optically active forms (DAKIN) 7
Mannonic acid:
Rotation (LEVENE) 125
Mannose:
Diacetone, isomeric methyl (LEVENE and MEYER) 145
α-Mannose:
(LEVENE) 129
Pentacetate (LEVENE) 141
Metabolism:
Bile salt (SMYTH and WHIPPLE) 623, 637, 647, 655
Carbohydrate, participation of inorganic substances in (HARROP and BENEDICT) 683
Energy, of children, effect of a small breakfast on (BAUER and BLUNT) 77
Method, graphic, of determining certain numerical factors in (MICHAELIS) 51
Metabolism—*continued:*
Nuclein (JACKSON) 529
Sulfur (HILL and LEWIS) 557, 569
(LEWIS, UPDEGRAFF, and MCGINTY) 59
Microorganisms:
Intestinal, production of histamine, tyramine, and phenol in common laboratory media by (HANKE and KOESSLER) 855
Muscle:
Autolysis (CHEN and BRADLEY) 151
Extracts, creatinine and creatine in (HAMMETT) 347
Tissue, and brain tissue, extracts, comparison of rate of creatinine formation from creatine in (HAMMETT) 347

N

Nephritis:
Imidazole excretion in urine (KOESSLER and HANKE) 803
Nuclein:
Metabolism (JACKSON) 529
Nucleotide:
Blood, human, isolation from (JACKSON) 529

O

Oils:
Antirachitic effect (SHIPLEY, KINNEY, and MCCOLLUM) 177

Oxygen:
Dissociation curve of human blood (BOCK, FIELD, and ADAIR) 353
Hemoglobin and, equilibrium between (FERRY) 295

P

Palladium:
Electrodes (ANDREWS) 479
Pancreas:
Amylase activity, pancreatic, influence of sulfur-containing amino acid on (CALDWELL) 661
Domestic animals, amount of available insulin in (FENGER and WILSON) 83
Parathyroidectomy:
Dogs, parathyroidectomized, urines, presence of guanidines in (GREENWALD) 329
Pentacetate:
α-Mannose (LEVENE) 141
Phenol:
Production by colon group (HANKE and KOESSLER) 867
— in common laboratory media by intestinal microorganisms (HANKE and KOESSLER) 855
Phlorhizin:
Bile salt metabolism, negative influence in (SMYTH and WHIPPLE) 655
Phosphate:
Method, colorimetric (BRIGGS) 255
Phosphorus:
Bile fistula dogs, influence on (SMYTH and WHIPPLE) 623
Inorganic, in blood serums of normal and rachitic rats, effect of fasting on (CAVINS) 237
Organic (BAUMANN) 667
Picrates:
Creatinine, rubidium and cesium (GREENWALD and GROSS) 613
Pigments:
Flavone-like, cause of red colorations in hemipterous families (PALMER and KNIGHT) 451
Pilocarpine:
Bile salt metabolism, negative influence in (SMYTH and WHIPPLE) 655
Plasma:
Blood, fatty acids (BLOOR) 543
Proline:
Growth, proline indispensable for (SURE) 577
Protease:
Actions of beef tissues (FALK, NOYES, and SUGIURA) 213
— — Flexner-Jobling rat carcinoma and of rat tissues (FALK, NOYES, and SUGIURA) 183
Protein:
Calories from, percentage, graphic representation (DU BOIS) 43

Proteose:
Intoxication in bile salt metabolism (SMYTH and WHIPPLE) 637

Q

Quinine:
Bile salt metabolism, negative influence in (SMYTH and WHIPPLE) 655

R

Reproduction:
Diet in relation (ANDEREGG) 587
Respiratory quotient:
Graphic representation (DU BOIS) 43
Rickets:
(SHIPLEY, KINNEY, and MCCOLLUM) 165, 177
Florid, effect of extracts of plant tissues (SHIPLEY, KINNEY, and MCCOLLUM) 165
Roentgen rays:
Intoxication in bile salt metabolism (SMYTH and WHIPPLE) 637
Rubidium:
Creatinine picrates (GREENWALD and GROSS) 613

S

Salt:
Bile, metabolism (SMYTH and WHIPPLE) 623, 637, 647, 655
Sodium, hexonic and 2-aminohexonic acids, specific rotations (LEVENE) 123
Scurvy:
Guinea pig on a scorbutic ration, depletion of vitamin C in liver (PARSONS and REYNOLDS) .731
Rat, antiscorbutic requirement (PARSONS and HUTTON) 97
Vitamin C, persistence in livers of rats on a scorbutic ration (LEPKOVSKY and NELSON) 91
Serum:
Blood, calcium and inorganic phosphorus in, of normal and rachitic rats, effect of fasting on (CAVINS) 237
Cells and, effect of ether on carbon dioxide and chloride distribution between (AUSTIN and GRAM) 535
Sodium:
Poisoning (GREENWALD) 1
Salts of hexonic and 2-aminohexonic acids, specific rotations (LEVENE) 123
Stearic acid:
Hexacosanic acid, synthesis of normal fatty acids to (LEVENE and TAYLOR) 905
Strophanthin:
(JACOBS and COLLINS) 713
Sulfur:
Compounds, related to cystine in animal organism, oxidation (HILL and LEWIS) 557
Metabolism (HILL and LEWIS) 557, 569

Sulfur—*continued:*
(LEWIS, UPDEGRAFF, and MCGINTY), 59

T

Talonic acid:
Rotation (LEVENE) 125

Tetany:
(GREENWALD) 1

Thiocresol:
Organism, animal, behavior in (HILL and LEWIS) 569

Thiophenol:
Organism, animal, behavior in (HILL and LEWIS) 569

Thyroid:
Bile salt metabolism (SMYTH and WHIPPLE) 637

Thyroxin:
Bile salt metabolism (SMYTH and WHIPPLE) 637

Tissue:
Beef, lipase and protease actions (FALK, NOYES, and SUGIURA) 213
Brain and muscle, extracts, comparison of rate of creatinine formation from creatine in (HAMMETT) 347
Extracts alone, enzyme actions, in relation to enzyme actions of tissue mixtures and of tumor-tissue mixtures (FALK, NOYES, and SUGIURA) 225
Mixtures, enzyme actions, in relation to enzyme actions of tissue and of tumor extracts alone (FALK, NOYES, and SUGUIRA) 225
Plant, extracts of, effect on florid rickets (SHIPLEY, KINNEY, and MCCOLLUM) 165
Rat, lipase and protease actions (FALK, NOYES, and SUGIURA) 183

Tumor:
Extracts alone, enzyme actions, in relation to enzyme actions of tissue mixtures and of tumor-tissue mixtures (FALK, NOYES, and SUGIURA) 225

Tyramine:
Production in common laboratory media by intestinal microorganisms (HANKE and KOESSLER) 855

U

Urine:
Excretion for two hour intervals, diurnal variations in (SIMPSON) 107
Imidazole excretion in, under normal and pathological conditions with special consideration of nephritis (KOESSLER and HANKE) 803
Parathyroidectomized dogs, presence of guanidines in (GREENWALD) 329

V

Vitamin:
Content of the lentil (JONES and MURPHY) 243

Vitamin C:
Liver of guinea pig on a scorbutic ration, depletion in (PARSONS and REYNOLDS) 731
Persistence in livers of rats on a scorbutic ration (LEPKOVSKY and NELSON) 91
Volume:
Cell (GRAM) 33

W

Walden inversion:
(LEVENE and MIKESKA) 473

X

X-rays:
See Roentgen rays.

Y

Yeast:
Adenosin hexoside from (LEVENE) 465
Bile salt metabolism (SMYTH and WHIPPLE) 647